KEITH W. CALLINAN
CONSULTANTS
MARK J. CALLINAN
PETER N. NICHOLLS
ASSISTED BY
JEFFREY P. WINCH
COLIN D. MACAULEY

CALLINAN AND ASSOCIATES
PATENT AND TRADE MARK ATTORNEYS
POSTAL ADDRESS P.O. BOX No 238
EAST MELBOURNE, 3002
AUSTRALIA

48-50 BRIDGE ROAD,
RICHMOND, 3121
CABLES & TELEGRAMS:
"CALNEW", MELBOURNE
TELEX No. 32455
TELEPHONE: 428 2337

RECEIVED
PHILIP MORRIS, INC.
LAW DEPT.-PATENT SECTION
SEP 16 1985

11th September, 1985.

Our Ref: 5169/9/vf
Your REf: ~~PM-1039~~

Law Department,
Patent Section,
Philip Morris Incorporated,
P.O. Box 26583,
RICHMOND, VIRGINIA 23261-6583,
U. S. A.

Re: Australian Patent Application No. 16579/83
~~PHILIP MORRIS INCORPORATED~~

Dear Sirs,

We enclose a Direction of the Commissioner of Patents to request examination of this application. A request for examination, or a request for deferment must be lodged by 5th March, 1986, or t

5-86 (3-5-86 F) BAM/AIP

The following courses are no

Increasing Fill / Power (Cassandra Owens et al)

(a) Allow the application t

(b) Request normal examinat .00.

(c) In the case of a Conver oper chain of priority to a corresp equest modified examination at a basic is cost of pre-paring amendments to c patent specification.

Go ahead?

(d) In the case of a Conve oper chain of priority to a corresponding U.K where it is desirous to request modified ex d applications - request deferment for $ 135.00.

Yes, but Love R&G following with Callinan on basis of what was allowed EPO (+ send R/G U.S patent)

In the case of (d) you must s and filing dates of applications in U.K. and U. onding applications has not been granted in th applications under consideration must have th During the period of deferment either modified ed.

In the case of (c) your in rant, and PROVIDE AN OFFICIALLY CERTIFIED COPY J.K. OR U.S. PATENT, certified as being a true tent as granted. We would appreciate it if you opy of that patent specification so that we n ion of this application will have to be brought in of that corresponding U.K. or U.S. specificatio ecifications and preparing the necessary amendments

V/- letter to Callinan
V2- " " R+G

Modified examination is not recommended, ... , if modified examination is required and if you know the amendments necessary to put this application into the same form as the selected U.K. or U.S. specification (this may be obtained from the amendments lodged in U.K. for example), it would reduce our work - and the charges to you - if you could let us have a list of the necessary amendments.

Yours faithfully,
CALLINAN AND ASSOCIATES

FINAL DATE: 5TH MARCH, 1986.

2026320430

Source: https://www.industrydocuments.ucsf.edu/docs/yfmx0000